

KD-Validated Anti-DNAJB1 mouse monoclonal antibody Mouse monoclonal antibody Catalog # AGI1965

Specification

KD-Validated Anti-DNAJB1 mouse monoclonal antibody - Product Information

Application Primary Accession Reactivity Clonality Isotype Calculated MW Gene Name Aliases **WB** P25685 Rat, Human, Mouse Monoclonal Mouse IgG2b Predicted, 38 kDa, observed, 38 kDa KDa DNAJB1 DNAJB1; DnaJ Heat Shock Protein Family (Hsp40) Member B1; RSPH16B; Hsp40; HSPF1; Sis1; DnaJ (Hsp40) Homolog, Subfamily B, Member 1; DnaJ Homolog Subfamily B Member 1: Heat Shock 40 KDa Protein 1; DnaJ Protein Homolog 1; Human DnaJ Protein 1; Radial Spoke 16 Homolog B (Chlamydomonas); Radial Spoke 16 Homolog B; Heat Shock Protein 40; DNAJ1; HSP40; HDj-1; Hdj1; HDJ1 **Recombinant protein of human DNAJB1**

Immunogen

KD-Validated Anti-DNAJB1 mouse monoclonal antibody - Additional Information

Gene ID 3337 Other Names DnaJ homolog subfamily B member 1, DnaJ protein homolog 1, Heat shock 40 kDa protein 1, HSP40, Heat shock protein 40, Human DnaJ protein 1, hDj-1, DNAJB1, DNAJ1, HDJ1, HSPF1

KD-Validated Anti-DNAJB1 mouse monoclonal antibody - Protein Information

Name DNAJB1

Synonyms DNAJ1, HDJ1, HSPF1

Function

Interacts with HSP70 and can stimulate its ATPase activity. Stimulates the association between HSC70 and HIP. Negatively regulates heat shock-induced HSF1 transcriptional activity during the attenuation and recovery phase period of the heat shock response (PubMed:9499401). Stimulates ATP hydrolysis and the folding of unfolded proteins mediated by HSPA1A/B (in vitro) (PubMed:24318877).

Cellular Location

Cytoplasm. Nucleus. Nucleus, nucleolus. Note=Translocates rapidly from the cytoplasm to the



nucleus, and especially to the nucleoli, upon heat shock

KD-Validated Anti-DNAJB1 mouse monoclonal antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>





Western blotting analysis using anti-DNAJB1 antibody (Cat#AGI1965). Total cell lysates (30 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-DNAJB1 antibody (Cat#AGI1965, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody respectively.



Western blotting analysis using anti-DNAJB1 antibody (Cat#AGI1965). DNAJB1 expression in wild type (WT) and DNAJB1 shRNA knockdown (KD) HeLa cells with 20 μ g of total cell lysates. Hsp90 α



serves as a loading control. The blot was incubated with anti-DNAJB1 antibody (Cat#AGI1965, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody respectively.