

#### **KD-Validated Anti-ATP5C1 Mouse Monoclonal Antibody**

Mouse monoclonal antibody Catalog # AGI2016

# **Specification**

# **KD-Validated Anti-ATP5C1 Mouse Monoclonal Antibody - Product Information**

Application WB, FC
Primary Accession P36542
Reactivity Human
Clonality Monoclonal
Isotype Mouse IgG1

Calculated MW Predicted, 33 kDa, observed, 33 kDa KDa

Gene Name ATP5F1C

Aliases ATP5F1C; ATP Synthase F1 Subunit

Gamma; ATP5CL1; ATP5C1; ATP5C; ATP Synthase, H+ Transporting, Mitochondrial F1 Complex, Gamma Polypeptide 1; ATP Synthase Subunit Gamma, Mitochondrial; F-ATPase Gamma Subunit; Mitochondrial ATP Synthase, Gamma Subunit 1; ATP Synthase Gamma Chain, Mitochondrial

Immunogen Recombinant protein of human ATP5C1

#### KD-Validated Anti-ATP5C1 Mouse Monoclonal Antibody - Additional Information

Gene ID 509

**Other Names** 

ATP synthase F(1) complex subunit gamma, mitochondrial, ATP synthase F1 subunit gamma {ECO:0000312|HGNC:HGNC:833}, F-ATPase gamma subunit, ATP5F1C (<a href="http://www.genenames.org/cgi-bin/gene\_symbol\_report?hgnc\_id=833" target="blank">HGNC:833</a>)

#### KD-Validated Anti-ATP5C1 Mouse Monoclonal Antibody - Protein Information

Name ATP5F1C (HGNC:833)

# **Function**

Subunit gamma, of the mitochondrial membrane ATP synthase complex (F(1)F(0) ATP synthase or Complex V) that produces ATP from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain (PubMed:<a href="http://www.uniprot.org/citations/37244256" target="\_blank">37244256</a>). ATP synthase complex consist of a soluble F(1) head domain - the catalytic core - and a membrane F(1) domain - the membrane proton channel (PubMed:<a

href="http://www.uniprot.org/citations/37244256" target="\_blank">37244256</a>). These two domains are linked by a central stalk rotating inside the F(1) region and a stationary peripheral stalk (PubMed:<a href="http://www.uniprot.org/citations/37244256"

target="\_blank">37244256</a>). During catalysis, ATP synthesis in the catalytic domain of F(1) is coupled via a rotary mechanism of the central stalk subunits to proton translocation (Probable). In





Tel: 858.875.1900 Fax: 858.875.1999

vivo, can only synthesize ATP although its ATP hydrolase activity can be activated artificially in vitro (By similarity). With the central stalk subunit delta, is essential for the biogenesis of F(1)catalytic part of the ATP synthase complex namely in the formation of F1 assembly intermediate (PubMed:<a href="http://www.uniprot.org/citations/29499186" target=" blank">29499186</a>).

#### **Cellular Location**

Mitochondrion inner membrane {ECO:0000250|UniProtKB:P05631}; Peripheral membrane protein {ECO:0000250|UniProtKB:P05631}; Matrix side {ECO:0000250|UniProtKB:P05631}

#### **Tissue Location**


Isoform Heart is expressed specifically in the heart and skeletal muscle, which require rapid energy supply. Isoform Liver is expressed in the brain, liver and kidney. Isoform Heart and Isoform Liver are expressed in the skin, intestine, stomach and aorta

# **KD-Validated Anti-ATP5C1 Mouse Monoclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# KD-Validated Anti-ATP5C1 Mouse Monoclonal Antibody - Images




Western blotting analysis using anti-ATP synthase F1 subunit gamma antibody (Cat#63811). Total cell lysates (10 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-ATP synthase F1 subunit gamma antibody (Cat#63811, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using NaQ<sup>™</sup> ECL Substrate Kit (Cat#716).





Western blotting analysis using anti-ATP synthase F1 subunit gamma antibody (Cat#63811). ATP synthase F1 subunit gamma expression in wild type (WT) and ATP synthase F1 subunit gamma (ATP5F1C) shRNA knockdown (KD) HT-1080 cells with 20  $\mu$ g of total cell lysates. Hsp90  $\alpha$  serves as a loading control. The blot was incubated with anti-ATP synthase F1 subunit gamma antibody (Cat#63811, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using NaQ $^{\text{m}}$  ECL Substrate Kit (Cat#716).



ATP synthase F1 subunit gamma-Alexa Fluor® 647

Flow cytometric analysis of ATP synthase F1 subunit gamma expression in HepG2 cells using anti-ATP synthase F1 subunit gamma antibody (Cat#63811, 1:1,000). Green, isotype control; red, ATP synthase F1 subunit gamma.