

## KD-Validated Anti-Epoxide Hydrolase 1 Mouse Monoclonal Antibody

Mouse monoclonal antibody Catalog # AGI2036

#### **Specification**

# **KD-Validated Anti-Epoxide Hydrolase 1 Mouse Monoclonal Antibody - Product Information**

Application WB
Primary Accession P07099
Reactivity Human
Clonality Monoclonal
Isotype Mouse IgG2a

Calculated MW Predicted, 53 kDa, observed, 48 kDa KDa

Gene Name EPHX

Aliases EPHX1; Epoxide Hydrolase 1; EPHX;

Epoxide Hydrolase 1, Microsomal (Xenobiotic); Epoxide Hydratase; EPOX; MEH; Epoxide Hydrolase 1 Microsomal; Microsomal Epoxide Hydrolase; EC 3.3.2.9;

**HYL1** 

Immunogen Recombinant protein of human EPHX1

## KD-Validated Anti-Epoxide Hydrolase 1 Mouse Monoclonal Antibody - Additional Information

Gene ID 2052

**Other Names** 

Epoxide hydrolase 1, 3.3.2.9, EPHX1 (<a

href="http://www.genenames.org/cgi-bin/gene\_symbol\_report?hgnc\_id=3401"

target=" blank">HGNC:3401</a>), EPHX, EPOX

#### KD-Validated Anti-Epoxide Hydrolase 1 Mouse Monoclonal Antibody - Protein Information

Name EPHX1 (HGNC:3401)

Synonyms EPHX, EPOX

#### **Function**

Biotransformation enzyme that catalyzes the hydrolysis of arene and aliphatic epoxides to less reactive and more water soluble dihydrodiols by the trans addition of water (By similarity). Plays a role in the metabolism of endogenous lipids such as epoxide-containing fatty acids (PubMed:<a href="http://www.uniprot.org/citations/22798687" target="\_blank">22798687</a>). Metabolizes the abundant endocannabinoid 2-arachidonoylglycerol (2-AG) to free arachidonic acid (AA) and glycerol (PubMed:<a href="http://www.uniprot.org/citations/24958911" target=" blank">24958911</a>(By similarity).

## **Cellular Location**

Microsome membrane; Single-pass type III membrane protein. Endoplasmic reticulum membrane



{ECO:0000250|UniProtKB:P07687}; Single-pass type III membrane protein {ECO:0000250|UniProtKB:P07687}


**Tissue Location** Found in liver..

### KD-Validated Anti-Epoxide Hydrolase 1 Mouse Monoclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

### KD-Validated Anti-Epoxide Hydrolase 1 Mouse Monoclonal Antibody - Images



Western blotting analysis using anti-epoxide hydrolase 1 antibody (Cat#63860). Total cell lysates (30  $\mu$ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-epoxide hydrolase 1 antibody (Cat#63860, 1:2,500) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using FeQ $^{\text{TM}}$  ECL Substrate Kit (Cat#226).







Tel: 858.875.1900 Fax: 858.875.1999

Western blotting analysis using anti-epoxide hydrolase 1 antibody (Cat#63860). Epoxide hydrolase 1 expression in wild-type (WT) and epoxide hydrolase 1 (EPHX1) shRNA knockdown (KD) HeLa cells with 20  $\mu g$  of total cell lysates. Hsp90  $\alpha$  serves as a loading control. The blot was incubated with anti-epoxide hydrolase 1 antibody (Cat#63860, 1:2,500) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using FeQ™ ECL Substrate Kit (Cat#226).