

KD-Validated Anti-Paxillin Rabbit Polyclonal Antibody

Rabbit polyclonal antibody Catalog # AGI2130

Specification

KD-Validated Anti-Paxillin Rabbit Polyclonal Antibody - Product Information

Application WB
Primary Accession P49023

Reactivity Rat, Human, Mouse

Clonality Polyclonal Isotype Rabbit IgG

Calculated MW Predicted, 64 kDa, observed, 68 kDa KDa

Gene Name PXI

Aliases PXN; Paxillin; Testicular Tissue Protein Li

134

Immunogen A synthesized peptide derived from human

Paxillin

KD-Validated Anti-Paxillin Rabbit Polyclonal Antibody - Additional Information

Gene ID **5829**

Other Names Paxillin, PXN

KD-Validated Anti-Paxillin Rabbit Polyclonal Antibody - Protein Information

Name PXN (HGNC:9718)

Function

Cytoskeletal protein involved in actin-membrane attachment at sites of cell adhesion to the extracellular matrix (focal adhesion). Recruits other proteins such as TRIM15 to focal adhesion.

Cellular Location

Cytoplasm, cytoskeleton. Cell junction, focal adhesion. Cytoplasm, cell cortex {ECO:0000250|UniProtKB:Q8VI36}. Note=Colocalizes with integrins at the cell periphery. Colocalize with PXN to membrane ruffles and the leading edge of migrating cells (PubMed:23128389). {ECO:0000250, ECO:0000269|PubMed:23128389}

KD-Validated Anti-Paxillin Rabbit Polyclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry




- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

KD-Validated Anti-Paxillin Rabbit Polyclonal Antibody - Images



Western blotting analysis using anti-paxillin antibody (Cat#AGI2130). Total cell lysates (30 μ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-paxillin antibody (Cat#AGI2130, 1:2,500) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Western blotting analysis using anti-paxillin antibody (Cat#AGI2130). Paxillin expression in wild-type (WT) and paxillin (PXN) shRNA knockdown (KD) HeLa cells with 20 μ g of total cell lysates. Hsp90 α serves as a loading control. The blot was incubated with anti-paxillin antibody (Cat#AGI2130, 1:2,500) and HRP-conjugated goat anti-rabbit secondary antibody respectively.