

KD-Validated Anti-NUMB Rabbit Monoclonal Antibody Rabbit monoclonal antibody Catalog # AGI2294

### **Specification**

## **KD-Validated Anti-NUMB Rabbit Monoclonal Antibody - Product Information**

Application Primary Accession Reactivity Clonality Isotype Calculated MW

Gene Name Aliases WB, FC <u>P49757</u> Rat, Human, Mouse Monoclonal Rabbit IgG Predicted , 71 kDa , observed , 71 kDa KDa NUMB Numb Homolog (Drosophila); Numb (Drosophila) Homolog; C14orf41; c14\_5527; h-Numb; Protein Numb Homolog; S171; Protein S171; Chromosome 14 Open Reading Frame 41 A synthesized peptide derived from human NUMB

Immunogen

## KD-Validated Anti-NUMB Rabbit Monoclonal Antibody - Additional Information

Gene ID8650Other NamesProtein numb homolog, h-Numb, Protein S171, NUMB (<a</td>href="http://www.genenames.org/cgi-bin/gene\_symbol\_report?hgnc\_id=8060"target="\_blank">HGNC:8060</a>)

## **KD-Validated Anti-NUMB Rabbit Monoclonal Antibody - Protein Information**

Name NUMB (HGNC:8060)

#### Function

Regulates clathrin-mediated receptor endocytosis (PubMed: <a

href="http://www.uniprot.org/citations/18657069" target="\_blank">18657069</a>). Plays a role in the process of neurogenesis (By similarity). Required throughout embryonic neurogenesis to maintain neural progenitor cells, also called radial glial cells (RGCs), by allowing their daughter cells to choose progenitor over neuronal cell fate (By similarity). Not required for the proliferation of neural progenitor cells before the onset of neurogenesis. Also involved postnatally in the subventricular zone (SVZ) neurogenesis by regulating SVZ neuroblasts survival and ependymal wall integrity (By similarity). May also mediate local repair of brain ventricular wall damage (By similarity).

#### **Cellular Location**

Cell membrane; Peripheral membrane protein; Cytoplasmic side. Endosome membrane; Peripheral membrane protein; Cytoplasmic side. Note=Localizes to perinuclear endosomes in an



AAK1-dependent manner.

# **KD-Validated Anti-NUMB Rabbit Monoclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

## **KD-Validated Anti-NUMB Rabbit Monoclonal Antibody - Images**



Western blotting analysis using anti-NUMB antibody (Cat#AGI2294). Total cell lysates (30 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-NUMB antibody (Cat#AGI2294, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Western blotting analysis using anti-NUMB antibody (Cat#AGI2294). NUMB expression in wild type (WT) and NUMB shRNA knockdown (KD) HT-1080 cells with 30  $\mu$ g of total cell lysates.



β-Tubulin serves as a loading control. The blot was incubated with anti-NUMB antibody (Cat#AGI2294, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Flow cytometric analysis of NUMB expression in HT-1080 cells using NUMB antibody (Cat#AGI2294, 1:2,000). Green, isotype control; red, NUMB.