

#### KO-Validated Anti-PDP1 Mouse Oligoclonal Antibody Mouse oligoclonal antibody Catalog # AGI2422

#### **Specification**

## KO-Validated Anti-PDP1 Mouse Oligoclonal Antibody - Product Information

Application Primary Accession Reactivity Clonality Isotype Calculated MW	WB, FC <u>O9P0J1</u> Rat, Human, Mouse Oligoclonal Mouse IgG Predicted, 61 kDa; observed, 53-60 kDa KDa
Gene Name	PDP1
Aliases	PDP1; Pyruvate Dehydrogenase Phosphatase Catalytic Subunit 1; PDP; PPM2A; PPM2C; PDH; [Pyruvate Dehydrogenase [Acetyl-Transferring]]-Phosphatase 1, Mitochondrial; Protein Phosphatase 2C, Magnesium-Dependent, Catalytic Subunit; Protein Phosphatase, Mg2+/Mn2+ Dependent 2A; EC 3.1.3.43; PDPC 1; Pyruvate Dehydrogenase (Lipoamide) Phosphatase-Phosphatase; Pyruvate Dehyrogenase Phosphatase Catalytic Subunit 1; Protein Phosphatase 2C; EC
Immunogen	3.1.3; PDP 1; PDPC Recombinant protein of human PDP1

### KO-Validated Anti-PDP1 Mouse Oligoclonal Antibody - Additional Information

Gene ID Other Names 54704

[Pyruvate dehydrogenase [acetyl-transferring]]-phosphatase 1, mitochondrial, PDP 1, 3.1.3.43, Protein phosphatase 2C, Pyruvate dehydrogenase phosphatase catalytic subunit 1, PDPC 1, PDP1 (<a href="http://www.genenames.org/cgi-bin/gene\_symbol\_report?hgnc\_id=9279" target="\_blank">HGNC:9279</a>), PDP, PPM2C

#### KO-Validated Anti-PDP1 Mouse Oligoclonal Antibody - Protein Information

Name PDP1 (HGNC:9279)

Synonyms PDP, PPM2C

Function

Mitochondrial enzyme that catalyzes the dephosphorylation and concomitant reactivation of the alpha subunit of the E1 component of the pyruvate dehydrogenase complex (PDC), thereby



stimulating the conversion of pyruvate into acetyl-CoA.


Cellular Location Mitochondrion.

### **KO-Validated Anti-PDP1 Mouse Oligoclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- <u>Flow Cytomety</u>
- <u>Cell Culture</u>

# KO-Validated Anti-PDP1 Mouse Oligoclonal Antibody - Images




Western blotting analysis using anti-PDP1 antibody (Cat#71167). Total cell lysates (30  $\mu$ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-PDP1 antibody (Cat#71167, 1:2,500) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).

kDa √ √ 250 - 150 - 75 - Hsp90 a	KDa V V 250 – 150 – 150 – 75 – 50 – PDP1 PDP1 37 –	
50 <b>—</b>	50- <b>=</b> }PDP1	
37 —	37 <b>—</b> 37 <b>—</b> 11 <sup>6</sup>	
25 <b>-</b> 20 <b>-</b>	25 <b>—</b> 20 <b>—</b>	



Western blotting analysis using anti-PDP1 antibody (Cat#71167). PDP1 expression in wild type (WT) and PDP1 knockout (KO) HT-1080 cells with 20  $\mu$ g of total cell lysates. Hsp90  $\alpha$  serves as a loading control. The blot was incubated with anti-PDP1 antibody (Cat#71167, 1:2,500) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).



Flow cytometric analysis of TRIM7 expression in HeLa cells using anti-TRIM7 antibody (Cat#71166, 1:2,000). Green, isotype control; red, TRIM7.