

Anti-Galectin-13 (GAL13) / Placental Protein 13 (PP13) Antibody

Mouse Monoclonal Antibody Catalog # AH13281

Specification

Anti-Galectin-13 (GAL13) / Placental Protein 13 (PP13) Antibody - Product Information

Application ,14,3,4,10,
Primary Accession Q9UHV8
Other Accession 23671
Reactivity Human
Host Mouse
Clonality Monoclonal
Isotype Mouse / IgG2b

Calculated MW 16119

Anti-Galectin-13 (GAL13) / Placental Protein 13 (PP13) Antibody - Additional Information

Gene ID 29124

Other Names

Gal-13; GAL13; Galactoside-binding soluble lectin 13; Galectin-13; Galectin-13; Lectin galactoside binding soluble 13; LGALS13; PLAC8; Placental protein 13 (PP13); Placental tissue protein 13

Format

200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 1mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage

Store at 2 to 8°C. Antibody is stable for 24 months.

Precautions

Anti-Galectin-13 (GAL13) / Placental Protein 13 (PP13) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-Galectin-13 (GAL13) / Placental Protein 13 (PP13) Antibody - Protein Information

Name LGALS13

Synonyms PLAC8

Function

Binds beta-galactoside and lactose. Strong inducer of T-cell apoptosis (PubMed:10527825, PubMed:19497882). Has hemagglutinating activity towards chicken erythrocytes (PubMed:29343868).

Cellular Location



Cytoplasm. Nucleus matrix

Tissue Location


Detected in adult and fetal spleen, fetal kidney, adult urinary bladder and placenta. Placental expression originates predominantly from the syncytiotrophoblast

Anti-Galectin-13 (GAL13) / Placental Protein 13 (PP13) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Galectin-13 (GAL13) / Placental Protein 13 (PP13) Antibody - Images



Formalin-fixed, paraffin-embedded human Placenta stained with Galectin-13 / PP13 Monoclonal Antibody (PP13/1164).

Anti-Galectin-13 (GAL13) / Placental Protein 13 (PP13) Antibody - Background

It recognizes a 32kDa protein, which is identified as homodimer of galectin-13 (also known as PP13). Galectins are a family of soluble β -galactoside-binding lectins that modulate cell-to-cell adhesion and cell-to-extracellular matrix (ECM) interactions and play a role in tumor progression, pre-mRNA splicing and apoptosis. One such member, galectin-13, is a 139 amino acid protein that contains one galectin domain. Possessing lysophospholipase activity, galectin-13 exists as a disulfide-linked homodimer. Galectin-13 is suggested to have a developmental role in the placenta and may display immunobiological activity in feto-maternal blood-spaces. Screening for galectin-13 in maternal serum during the first trimester of pregnancy may serve as a diagnostic marker to predict preterm pre-eclampsia.