

RNF10 antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # Al10127

Specification

RNF10 antibody - N-terminal region - Product Information

Application Primary Accession Other Accession Reactivity

Predicted

Host Clonality Calculated MW WB <u>Q8N5U6</u> <u>Q8N5U6</u>, <u>NP_055683</u>, <u>NM_014868</u> Human, Mouse, Rat, Dog, Guinea Pig, Horse, Bovine Human, Mouse, Rat, Chicken, Guinea Pig, Horse, Bovine Rabbit Polyclonal 90 kDa KDa

RNF10 antibody - N-terminal region - Additional Information

Gene ID 9921

Alias Symbol **Other Names** RING finger protein 10, RNF10, KIAA0262, RIE2 KIAA0262, MGC126758, MGC126764, RIE2

Target/Specificity

RNF10 contains a ring finger motif, which is known to be involved in protein-protein interactions. The specific function of this protein has not yet been determined. EST data suggests the existence of multiple alternatively spliced transcript variants, however, their full length nature is not known. The protein encoded by this gene contains a ring finger motif, which is known to be involved in protein-protein interactions. The specific function of this protein has not yet been determined. EST data suggests the existence of multiple alternatively spliced transcript variants, however, their full length nature is not known.

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RNF10 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

RNF10 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

RNF10 antibody - N-terminal region - Protein Information

Name RNF10 {ECO:0000303|PubMed:10697961, ECO:0000312|HGNC:HGNC:10055}



Function

E3 ubiquitin-protein ligase that catalyzes monoubiquitination of 40S ribosomal proteins RPS2/us5 and RPS3/us3 in response to ribosome stalling (PubMed:34348161, PubMed:34469731). Part of a ribosome quality control that takes place when ribosomes have stalled during translation initiation (iRQC): RNF10 acts by mediating monoubiquitination of RPS2/us5 and RPS3/us3, promoting their degradation by the proteasome (PubMed:34348161, PubMed:34348161, PubMed:34348161, PubMed:34348161, PubMed:343480731). Also promotes ubiquitination of 40S ribosomal proteins in response to ribosome stalling during translation elongation (PubMed:34348161). The action of RNF10 in iRQC is counteracted by USP10 (PubMed:34469731). May also act as a transcriptional factor involved in the regulation of MAG (Myelin- associated glycoprotein) expression (By similarity). Acts as a regulator of Schwann cell differentiation and myelination (By similarity).

Cellular Location

Cytoplasm. Nucleus {ECO:0000250|UniProtKB:Q5XI59}

RNF10 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

RNF10 antibody - N-terminal region - Images

90 kDa 65 kDa 40 kDa 31 kDa 22 kDa		
40 kDa 31 kDa 22 kDa	90 kDa	
31 kDa 22 kDa	40 kDa	
22 kDa	40 KDa	
22 kDa	31 KDa	
	22 kDa	

RNF10 antibody - N-terminal region (AI10127) in Human HeLa cells using Western Blot WB Suggested Anti-RNF10 Antibody Titration: 0.2-1 µg/ml ELISA Titer: 1:500 Positive Control: Hela cell lysate RNF10 is strongly supported by BioGPS gene expression data to be expressed in Human HeLa cells



RNF10 antibody - N-terminal region - Background

This is a rabbit polyclonal antibody against RNF10. It was validated on Western Blot using a cell lysate as a positive control. Abgent strives to provide antibodies covering each member of a whole protein family of your interest. We also use our best efforts to provide you antibodies recognize various epitopes of a target protein. For availability of antibody needed for your experiment, please inquire (sales@abgent.com).