

TANK Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10174**Specification**

TANK Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	E7EVA2
Reactivity	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Pig, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	26kDa KDa

TANK Antibody - N-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-TANK antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

TANK Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

TANK Antibody - N-terminal region - Protein Information**TANK Antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TANK Antibody - N-terminal region - Images



Host:Rabbit

Target Name:TANK

Sample Tissue: Lung Tumor lysates

Antibody Dilution:1.μg/ml