

Atf7 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10208**Specification**

Atf7 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	BOBMY0
Other Accession	NM_001108115 , NP_001101585
Reactivity	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Pig, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	53kDa KDa

Atf7 antibody - C-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Atf7 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Atf7 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Atf7 antibody - C-terminal region - Protein Information**Atf7 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Atf7 antibody - C-terminal region - Images



WB Suggested Anti-Atf7 Antibody

Titration: 1. µg/ml

Positive Control: Rat Lung