

Zbtb9 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10258**Specification**

Zbtb9 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8CDC7
Other Accession	NM_001005916 , NP_001005916
Reactivity	Human, Mouse, Rat, Horse, Bovine
Predicted	Human, Mouse, Rat, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	49kDa KDa

Zbtb9 antibody - C-terminal region - Additional Information**Gene ID** 474156**Alias Symbol** 3930402F13Rik**Other Names**

Zinc finger and BTB domain-containing protein 9, Zbtb9

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Zbtb9 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Zbtb9 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Zbtb9 antibody - C-terminal region - Protein Information**Name** Zbtb9**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

Zbtb9 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Zbtb9 antibody - C-terminal region - Images



WB Suggested Anti-Zbtb9 Antibody

Titration: 1. µg/ml

Positive Control: Mouse Small intestine