

FOXC2 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10266**Specification****FOXC2 antibody - C-terminal region - Product Information**

Application	WB
Primary Accession	O99958
Other Accession	NM_005251 , NP_005242
Reactivity	Human, Mouse, Rat, Horse, Bovine, Dog
Predicted	Human, Mouse, Chicken, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54kDa KDa

FOXC2 antibody - C-terminal region - Additional Information**Gene ID 2303**Alias Symbol **LD, MFH1, MFH-1, FKHL14****Other Names**

Forkhead box protein C2, Forkhead-related protein FKHL14, Mesenchyme fork head protein 1, MFH-1 protein, Transcription factor FKH-14, FOXC2, FKHL14, MFH1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-FOXC2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

FOXC2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

FOXC2 antibody - C-terminal region - Protein Information**Name** FOXC2**Synonyms** FKHL14, MFH1**Function**

Transcriptional activator.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00089, ECO:0000269|PubMed:23878394, ECO:0000269|PubMed:28179430}

FOXC2 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

