

MYF6 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10315**Specification****MYF6 antibody - N-terminal region - Product Information**

Application	WB, IHC
Primary Accession	P23409
Other Accession	NM_002469 , NP_002460
Reactivity	Human, Mouse, Rat, Zebrafish, Goat, Sheep, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Zebrafish, Pig, Chicken, Goat, Sheep, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	27kDa KDa

MYF6 antibody - N-terminal region - Additional Information**Gene ID** 4618**Alias Symbol** MRF4, CNM3, myf-6, bHLHc4**Other Names**

Myogenic factor 6, Myf-6, Class C basic helix-loop-helix protein 4, bHLHc4, Muscle-specific regulatory factor 4, MYF6, BHLHC4, MRF4

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-MYF6 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

MYF6 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

MYF6 antibody - N-terminal region - Protein Information**Name** MYF6**Synonyms** BHLHC4, MRF4**Function**

Involved in muscle differentiation (myogenic factor). Induces fibroblasts to differentiate into myoblasts. Probable sequence specific DNA-binding protein.

Cellular Location

Nucleus.

Tissue Location

Skeletal muscle.

MYF6 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

