

CGI-62 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10414**Specification****CGI-62 antibody - C-terminal region - Product Information**

Application	WB, IHC
Primary Accession	O9Y372
Other Accession	NM_016010 , NP_057094
Reactivity	Human, Rat, Horse, Bovine
Predicted	Human, Rat, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

CGI-62 antibody - C-terminal region - Additional Information

Alias Symbol **CGI-62, C8orf70, FAM164A**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-CGI-62 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

CGI-62 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CGI-62 antibody - C-terminal region - Protein Information**CGI-62 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)