

EVI2A antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10566**Specification****EVI2A antibody - C-terminal region - Product Information**

Application	WB
Primary Accession	P22794
Other Accession	NM_014210 , NP_055025
Reactivity	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Pig, Chicken, Bovine, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	26kDa KDa

EVI2A antibody - C-terminal region - Additional Information**Gene ID** 2123**Alias Symbol** EVDA, EVI2, EVI-2A**Other Names**

Protein EVI2A, Ecotropic viral integration site 2A protein homolog, EVI-2A, EVI2A, EVDA, EVI2

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-EVI2A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

EVI2A antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

EVI2A antibody - C-terminal region - Protein Information**Name** EVI2A**Synonyms** EVDA, EVI2**Function**

May complex with itself or/and other proteins within the membrane, to function as part of a cell-surface receptor.

Cellular Location

Membrane; Single-pass type I membrane protein.

EVI2A antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

