

TCFL1 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI10603**Specification****TCFL1 antibody - middle region - Product Information**

Application	WB
Primary Accession	Q15906
Other Accession	NM_005997 , NP_005988
Reactivity	Human, Mouse, Rat, Zebrafish, Pig, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rat, Zebrafish, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 41kDa KDa

TCFL1 antibody - middle region - Additional Information**Gene ID** 6944**Alias Symbol** YL1, CFL1, Swc2, YL-1, TCFL1**Other Names**

Vacuolar protein sorting-associated protein 72 homolog, Protein YL-1, Transcription factor-like 1, VPS72, TCFL1, YL1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-TCFL1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

TCFL1 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

TCFL1 antibody - middle region - Protein Information**Name** VPS72**Synonyms** TCFL1, YL1**Function**

Deposition-and-exchange histone chaperone specific for H2AZ1, specifically chaperones H2AZ1 and deposits it into nucleosomes. As component of the SRCAP complex, mediates the ATP-dependent exchange of histone H2AZ1/H2B dimers for nucleosomal H2A/H2B, leading to transcriptional regulation of selected genes by chromatin remodeling.

Cellular Location

Nucleus.

TCFL1 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)