

Pax8 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10616**Specification**

Pax8 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q00288
Other Accession	NM_011040 , NP_035170
Reactivity	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rat, Guinea Pig, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 49kDa KDa

Pax8 antibody - C-terminal region - Additional Information**Gene ID** 18510

Alias Symbol	Pax-8
Other Names	
Paired box protein Pax-8, Pax8, Pax-8	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Pax8 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Pax8 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Pax8 antibody - C-terminal region - Protein Information**Name** Pax8**Synonyms** Pax-8**Function**

Thought to encode a transcription factor. It may have a role in kidney cell differentiation. May play a regulatory role in mammalian development.

Cellular Location

Nucleus.


Tissue Location

Expressed in the developing excretory system and the thyroid gland

Pax8 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Pax8 antibody - C-terminal region - Images**WB Suggested Anti-Pax8 Antibody**

Titration: 1. µg/ml

Positive Control: Mouse Pancreas