

CCT4 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10622**Specification****CCT4 antibody - C-terminal region - Product Information**

Application	WB, IHC
Primary Accession	Q53QP9
Other Accession	NM_006430 , NP_006421
Reactivity	Human, Mouse, Rat, Zebrafish, Pig, Goat, Horse, Yeast, Bovine, Dog
Predicted	Human, Mouse, Zebrafish, Chicken, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	58kDa KDa

CCT4 antibody - C-terminal region - Additional Information

Alias Symbol **SRB, Cctd, CCT-DELTA**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-CCT4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.



Precautions

CCT4 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CCT4 antibody - C-terminal region - Protein Information**CCT4 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)




A B

CCT4 antibody - C-terminal region (AI1622) validated by WB using 293T cells lysate

CCT4 is supported by BioGPS gene expression data to be expressed in HEK293T

CCT4



White: CCT4

See IHC 1 Data and Customer Feedback for more Information

Sample Type :Rat Hippocampal Neurons - 14DIV

Primary Antibody Dilution :1:2

Secondary Antibody :Anti-rabbit-Cy3Secondary Antibody Dilution :1:5Color/Signal Descriptions

:White: CCT4

Gene Name :CCT4Submitted by :Dan Fowler - University of Oregon, Institute of Neuroscience

CCT4 antibody - C-terminal region - References

Kimura,K., et al., (2006) Genome Res. 16 (1), 55-65
Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.