

RNF36 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10726**Specification**

RNF36 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8IYY3
Other Accession	NM_182985 , NP_892030
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine
Predicted	Mouse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	41kDa KDa

RNF36 antibody - N-terminal region - Additional Information

Alias Symbol **Trif, HSD34, RNF36**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RNF36 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


RNF36 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

RNF36 antibody - N-terminal region - Protein Information**RNF36 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RNF36 antibody - N-terminal region - Images



WB Suggested Anti-RNF36 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:12500

Positive Control: Jurkat cell lysate

RNF36 antibody - N-terminal region - References

Shyu, H.W., et al., (2003) Exp. Cell Res. 287 (2), 301-313
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.