

Cacng2 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI10800**Specification**

Cacng2 antibody - middle region - Product Information

Application	WB
Primary Accession	Q99PR9
Other Accession	NM_053351 , NP_445803
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog
Predicted	Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	36kDa KDa

Cacng2 antibody - middle region - Additional Information

Alias Symbol **Ipr328**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Cacng2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Cacng2 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Cacng2 antibody - middle region - Protein Information**Cacng2 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Cacng2 antibody - middle region - Images



WB Suggested Anti-Cacng2 Antibody Titration: 1.0 µg/ml
Positive Control: Rat Liver