

ZNF397 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI10930**Specification**

ZNF397 antibody - middle region - Product Information

Application	WB
Primary Accession	Q8NF99
Other Accession	NM_001135178 , NP_001128650
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted	Rabbit, Pig, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	61kDa KDa

ZNF397 antibody - middle region - Additional Information**Gene ID** 84307**Alias Symbol** MGC13250, ZNF47, ZSCAN15**Other Names**

Zinc finger protein 397, Zinc finger and SCAN domain-containing protein 15, Zinc finger protein 47, ZNF397, ZNF47, ZSCAN15

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF397 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF397 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF397 antibody - middle region - Protein Information**Name** ZNF397**Synonyms** ZNF47, ZSCAN15**Function**

Isoform 3 acts as a DNA-dependent transcriptional repressor.

Cellular Location

[Isoform 1]: Nucleus.


Tissue Location

Expressed strongly in testis, moderately in skeletal muscle, pancreas and prostate, and weakly in heart, placenta, liver, kidney, spleen, thymus and small intestine

ZNF397 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF397 antibody - middle region - Images

WB Suggested Anti-ZNF397 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:1562500

Positive Control: Human brain