

DQX1 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10993**Specification**

DQX1 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8TE96
Other Accession	NM_133637 , NP_598376
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rat, Rabbit, Pig, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 66kDa KDa

DQX1 antibody - N-terminal region - Additional Information**Gene ID** 165545**Alias Symbol** **FLJ23757****Other Names**

ATP-dependent RNA helicase DQX1, 3.6.4.12, DEAQ box polypeptide 1, DQX1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-DQX1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

DQX1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

DQX1 antibody - N-terminal region - Protein Information**Name** DQX1**Cellular Location**


Nucleus.

DQX1 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DQX1 antibody - N-terminal region - Images



WB Suggested Anti-DQX1 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:312500

Positive Control: OVCAR-3 cell lysate

DQX1 antibody - N-terminal region - References

Kimura,K., (2006) Genome Res. 16 (1), 55-65 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.