

Pias2 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11070**Specification**

Pias2 antibody - C-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q8°C5D8
Other Accession	NM_001164167 , AAB96678
Reactivity	Human, Mouse, Rabbit, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54kDa KDa

Pias2 antibody - C-terminal region - Additional Information

Alias Symbol	6330408K17Rik, AI462206, ARIP3, AU018068, Dib, Miz1, PIASxalpha, PIASxb, PIASxbeta, SIZ2
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Pias2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Pias2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Pias2 antibody - C-terminal region - Protein Information**Pias2 antibody - C-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Pias2 antibody - C-terminal region - Images



Mouse Pancreas



WB Suggested Anti-Pias2 Antibody Titration: 0.2-1 μ g/ml
Positive Control: NIH/3T3 cell lysate



WB Suggested Anti-Pias2 antibody Titration: 1 μ g/ml
Sample Type: Human heart