

Hnf4g Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11149**Specification**

Hnf4g Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O9WUU6
Other Accession	NM_013920 , NP_038948
Reactivity	Human, Mouse, Rat, Rabbit, Sheep, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	47kDa KDa

Hnf4g Antibody - C-terminal region - Additional Information**Gene ID** 30942**Alias Symbol** **NR2A2****Other Names**

Hepatocyte nuclear factor 4-gamma, HNF-4-gamma, Nuclear receptor subfamily 2 group A member 2, Hnf4g, Nr2a2

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Hnf4g antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Hnf4g Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Hnf4g Antibody - C-terminal region - Protein Information**Name** Hnf4g**Synonyms** Nr2a2**Function**

Transcription factor. Has a lower transcription activation potential than HNF4-alpha (By similarity).

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00407}.

Hnf4g Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Hnf4g Antibody - C-terminal region - Images



Host: Rabbit
Target Name: Hnf4g
Sample Tissue: Mouse Testis lysates
Antibody Dilution: 1.0µg/ml