

Pbx4 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11209**Specification**

Pbx4 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O99NE9
Other Accession	NM_001024954 , NP_001020125
Reactivity	Mouse, Rat
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	42kDa KDa

Pbx4 antibody - N-terminal region - Additional Information**Gene ID** 80720**Alias Symbol** 2410015M21Rik, AI429113, AW045266**Other Names**

Pre-B-cell leukemia transcription factor 4, Homeobox protein PBX4, Pbx4

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Pbx4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Pbx4 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Pbx4 antibody - N-terminal region - Protein Information**Name** Pbx4**Cellular Location**

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00108}.

Tissue Location


Almost exclusively expressed in testis.

Pbx4 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Pbx4 antibody - N-terminal region - Images



WB Suggested Anti-Pbx4 Antibody Titration: 0.2-1 μ g/ml
Positive Control: Mouse Small Intestine