

Onecut3 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11231**Specification**

Onecut3 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8K557
Other Accession	NM_139226 , NP_631972
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Bovine, Dog
Predicted	Zebrafish, Pig, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	49kDa KDa

Onecut3 antibody - C-terminal region - Additional Information**Gene ID** 246086**Alias Symbol** OC-3, Oc3**Other Names**

One cut domain family member 3, One cut homeobox 3, Transcription factor ONECUT-3, OC-3, Onecut3

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Onecut3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Onecut3 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Onecut3 antibody - C-terminal region - Protein Information**Name** Onecut3**Function**

Transcriptional activator. Binds the consensus DNA sequence 5'-DHWATTGAYTWWD-3' on a variety of gene promoters such as those of HNF3B and TTR.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00108, ECO:0000255|PROSITE-ProRule:PRU00374, ECO:0000269|PubMed:15381696}


Tissue Location

Specifically expressed in brain, stomach and gut. Within the gut, expressed only in duodenum and jejunum

Onecut3 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Onecut3 antibody - C-terminal region - Images

WB Suggested Anti-Onecut3 Antibody Titration: 0.2-1 μ g/ml

Positive Control: Mouse Liver