

Bola2 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11248**Specification**

Bola2 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8BGS2
Other Accession	NM_175103 , NP_780312
Reactivity	Human, Mouse, Rat, Rabbit, Goat, Bovine
Predicted	Human, Mouse, Rat, Goat, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	10kDa KDa

Bola2 antibody - N-terminal region - Additional Information**Gene ID** 66162

Alias Symbol	1110025L05Rik, BolA-2
Other Names	
BolA-like protein 2, Bola2	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Bola2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Bola2 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Bola2 antibody - N-terminal region - Protein Information**Name** Bola2**Function**

Acts as a cytosolic iron-sulfur (Fe-S) cluster assembly factor that facilitates [2Fe-2S] cluster insertion into a subset of cytosolic proteins. Acts together with the monothiol glutaredoxin GLRX3.

Cellular Location


Cytoplasm {ECO:0000250|UniProtKB:Q9H3K6}. Nucleus {ECO:0000250|UniProtKB:Q9H3K6}

Bola2 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Bola2 antibody - N-terminal region - Images



WB Suggested Anti-Bola2 Antibody Titration: 0.2-1 μ g/ml
Positive Control: SP2/0 cell lysate