

Mkx Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11257**Specification**

Mkx Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8BIA3
Other Accession	NM_177595 , NP_808263
Reactivity	Mouse
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	38kDa KDa

Mkx Antibody - C-terminal region - Additional Information**Gene ID** 210719

Alias Symbol	9430023B20Rik, Irx11
Other Names	
Homeobox protein Mohawk, Mkx	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 µl of distilled water. Final Anti-Mkx antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

Mkx Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Mkx Antibody - C-terminal region - Protein Information**Name** Mkx**Function**

May act as a morphogenetic regulator of cell adhesion. Participates in the early events that lead to differentiation.

Cellular Location


Nucleus.

Mkx Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Mkx Antibody - C-terminal region - Images



Host: Rabbit
Target Name: Mkx
Sample Tissue: Mouse Liver lysates
Antibody Dilution: 1.0µg/ml