

ZNF300 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11310**Specification**

ZNF300 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O96RE9
Other Accession	NM_052860 , NP_443092
Reactivity	Human, Horse, Yeast, Dog
Predicted	Human, Horse, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	69kDa KDa

ZNF300 antibody - N-terminal region - Additional Information**Gene ID** 91975

Alias Symbol	DKFZp686B24204
Other Names	
Zinc finger protein 300, ZNF300	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF300 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF300 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF300 antibody - N-terminal region - Protein Information**Name** ZNF300**Function**

Has a transcriptional repressor activity.

Cellular Location

Nucleus

Tissue Location


Expressed mostly in heart, skeletal muscle and brain. Isoform 1 and isoform 2 are highly expressed in testis

ZNF300 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF300 antibody - N-terminal region - Images



WB Suggested Anti-ZNF300 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:12500

Positive Control: THP-1 cell lysate

ZNF300 antibody - N-terminal region - References

Cao, Y., (2007) DNA Seq. 18 (4), 312-315 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.