

**FOXO3A antibody - C-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI11353****Specification**

---

**FOXO3A antibody - C-terminal region - Product Information**

|                   |                                                      |
|-------------------|------------------------------------------------------|
| Application       | WB                                                   |
| Primary Accession | <a href="#">Q68DV3</a>                               |
| Other Accession   | <a href="#">NM_001455</a> , <a href="#">CAH18117</a> |
| Reactivity        | Human, Mouse, Rat, Rabbit, Sheep, Horse, Bovine, Dog |
| Predicted Host    | Pig                                                  |
| Clonality         | Rabbit                                               |
| Calculated MW     | Polyclonal<br>50kDa KDa                              |

**FOXO3A antibody - C-terminal region - Additional Information**

|              |                                         |
|--------------|-----------------------------------------|
| Alias Symbol | FOXO2, AF6q21, FKHRL1, FOXO3A, FKHRL1P2 |
|--------------|-----------------------------------------|

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-FOXO3A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**


FOXO3A antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**FOXO3A antibody - C-terminal region - Protein Information****FOXO3A antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**FOXO3A antibody - C-terminal region - Images**



WB Suggested Anti-FOXO3A Antibody Titration: 0.2-1  $\mu$ g/ml

ELISA Titer: 1:62500

Positive Control: Human muscle

#### **FOXO3A antibody - C-terminal region - References**

Submitted (17-AUG-2004) MIPS, Ingolstaedter Landstr.1, D-85764 Neuherberg, GERMANY  
Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.