

PSMC2 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11375**Specification**

PSMC2 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q3LIA5
Other Accession	NM_002803 , NP_002794
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog
Predicted	Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	49kDa KDa

PSMC2 antibody - N-terminal region - Additional Information

Alias Symbol **S7, MSS1, Nbla10058**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-PSMC2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


PSMC2 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

PSMC2 antibody - N-terminal region - Protein Information**PSMC2 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PSMC2 antibody - N-terminal region - Images



WB Suggested Anti-PSMC2 Antibody Titration: 1.25µg/ml

ELISA Titer: 1:1562500

Positive Control: Jurkat cell lysate

PSMC2 antibody - N-terminal region - References

Bouwmeester, T., et al., (2004) Nat. Cell Biol. 6 (2), 97-105
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.