

ZNF133 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11393**Specification**

ZNF133 antibody - middle region - Product Information

Application	IF, WB
Primary Accession	Q53XU1
Other Accession	NM_003434 , NP_003425
Reactivity	Human, Rabbit, Pig
Predicted	Human, Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	73kDa KDa

ZNF133 antibody - middle region - Additional Information

Alias Symbol **ZNF150, pHZ-13, pHZ-66**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF133 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


ZNF133 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF133 antibody - middle region - Protein Information**ZNF133 antibody - middle region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF133 antibody - middle region - Images



Three cryosections on each slide were stained with a single antibody. The fourth slide was used as a negative control (primary antibody omitted). The tissue was fixed with cold acetone for 10 minutes, rinsed in phosphate buffered saline (PBS) and incubated with the primary antibody diluted in 1% bovine serum albumin (BSA) in PBS for 1 hour at room temperature. Rabbit anti human antibodies and dilutions used: e) ZNF133 (38332), most suitable concentration 1:100



WB Suggested Anti-ZNF133 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:312500
Positive Control: THP-1 cell lysate

ZNF133 antibody - middle region - References

Lee, S.J., (2007) Exp. Mol. Med. 39 (4), 450-457 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.