

NAB1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11448**Specification**

NAB1 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q13506
Other Accession	NM_005966 , NP_005957
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54kDa KDa

NAB1 antibody - C-terminal region - Additional Information**Gene ID** 4664**Other Names**

NGFI-A-binding protein 1, EGR-1-binding protein 1, Transcriptional regulatory protein p54, NAB1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-NAB1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

NAB1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

NAB1 antibody - C-terminal region - Protein Information**Name** NAB1**Function**

Acts as a transcriptional repressor for zinc finger transcription factors EGR1 and EGR2.

Cellular Location

Nucleus.

Tissue Location


Isoform Short is found in myeloid leukemia cell line KG-1

NAB1 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NAB1 antibody - C-terminal region - Images



WB Suggested Anti-NAB1 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:312500

Positive Control: Transfected 293T

NAB1 antibody - C-terminal region - References

Moser,D., (2007) World J. Biol. Psychiatry 8 (4), 262-268 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.