

Dpf3 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11477**Specification**

Dpf3 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	P58269-3
Other Accession	NM_058212 , NP_478119
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse
Predicted Host	Human, Mouse, Rabbit, Zebrafish, Pig
Clonality	Rabbit
Calculated MW	Polyclonal 40kDa KDa

Dpf3 antibody - N-terminal region - Additional Information

Alias Symbol	2810403B03Rik, C78788, CERD4, cer-d4, BAF45C, 6530402L11Rik
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Dpf3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Dpf3 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Dpf3 antibody - N-terminal region - Protein Information**Dpf3 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Dpf3 antibody - N-terminal region - Images



Rabbit Anti-Dpf3 Antibody

Catalog Number: AI11477

Formalin Fixed Paraffin Embedded Tissue: Human Adult heart Observed Staining: Nuclear (not in cardiomyocytes but in fibrocytes in endomysium)

Primary Antibody

Concentration: 1:600

Secondary Antibody: Donkey anti-Rabbit-Cy2/3


Secondary Antibody

Concentration: 1:200

Magnification: 20X

Exposure Time: 0.5 – 2.0 sec

Protocol located in Reviews and Data.



WB Suggested Anti-Dpf3 Antibody Titration: 1.0 µg/ml

Positive Control: Mouse Spleen