

SART3 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11497**Specification**

SART3 antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q15020-2
Other Accession	NM_014706 , AAK69347
Reactivity	Human, Rat, Pig, Horse, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	40kDa KDa

SART3 antibody - N-terminal region - Additional Information

Alias Symbol	P100, p110, DSAP1, TIP110, p110(nrb), RP11-13G14
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-SART3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SART3 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SART3 antibody - N-terminal region - Protein Information**SART3 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SART3 antibody - N-terminal region - Images



Human Liver



WB Suggested Anti-SART3 Antibody Titration: 2.5µg/ml

ELISA Titer: 1:62500

Positive Control: Jurkat cell lysate

SART3 is strongly supported by BioGPS gene expression data to be expressed in Human Jurkat cells

SART3 antibody - N-terminal region - References

Liu,Y.,(2002) J. Biol. Chem. 277 (26), 23854-23863
Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.