

ZSC12 Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11499**Specification**

ZSC12 Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O43309
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	66kDa KDa

ZSC12 Antibody - N-terminal region - Additional Information**Gene ID** 9753**Alias Symbol** **ZSCAN12, KIAA0426, ZNF305, ZNF96,**
Other Names

Zinc finger and SCAN domain-containing protein 12, Zinc finger protein 305, Zinc finger protein 96, ZSCAN12, KIAA0426, ZNF305, ZNF96

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 µl of distilled water. Final Anti-ZSC12 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZSC12 Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZSC12 Antibody - N-terminal region - Protein Information**Name** ZSCAN12**Synonyms** KIAA0426, ZNF305, ZNF96**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00187}.

ZSC12 Antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZSC12 Antibody - N-terminal region - Images



Host: Rabbit
Target Name: ZSC12
Sample Tissue: RPMI-8226 Whole Cell lysates
Antibody Dilution: 1.0µg/ml