

Zfr antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11515**Specification**

Zfr antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	B2RUG7
Other Accession	NM_011767 , NP_035897
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Dog
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	114kDa KDa

Zfr antibody - N-terminal region - Additional Information

Alias Symbol **C920030H05Rik, MGC176100**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Zfr antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


Zfr antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Zfr antibody - N-terminal region - Protein Information**Zfr antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Zfr antibody - N-terminal region - Images



Rabbit Anti-Zfr Antibody

Catalog Number: AI11515

Formalin Fixed Paraffin Embedded Tissue: Human Adult heart Observed Staining: Cytoplasmic

Primary Antibody

Concentration: 1:600

Secondary Antibody: Donkey anti-Rabbit-Cy2/3


Secondary Antibody

Concentration: 1:200

Magnification: 20X

Exposure Time: 0.5 – 2.0 sec

Protocol located in Reviews and Data.



WB Suggested Anti-Zfr Antibody Titration: 1.0 µg/ml

Positive Control: Mouse Liver