

SSX3 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11558**Specification**

SSX3 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q7RTT3
Other Accession	NM_021014 , NP_066294
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	22kDa KDa

SSX3 antibody - N-terminal region - Additional Information

Alias Symbol	CT5.3, MGC119054, MGC14495
Other Names	
Protein SSX9, SSX9	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SSX3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

SSX3 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SSX3 antibody - N-terminal region - Protein Information

Name SSX9P ([HGNC:19655](#))

Synonyms SSX9

Function

Could act as a modulator of transcription.

Tissue Location


Not detected in any normal or tumor tissues.

SSX3 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SSX3 antibody - N-terminal region - Images



WB Suggested Anti-SSX3 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:1562500

Positive Control: Jurkat cell lysate