

ZNF277 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11570**Specification**

ZNF277 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O9NRM2
Other Accession	NM_021994 , NP_068834
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	53kDa KDa

ZNF277 antibody - N-terminal region - Additional Information**Gene ID** 11179**Alias Symbol** NRIF4, ZNF277P**Other Names**

Zinc finger protein 277, Nuclear receptor-interacting factor 4, ZNF277, NRIF4, ZNF277P

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF277 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF277 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF277 antibody - N-terminal region - Protein Information**Name** ZNF277**Synonyms** NRIF4, ZNF277P**Function**

Probable transcription factor. Involved in modulation of cellular senescence; represses transcription of the tumor suppressor gene INK4A/ARF, perhaps acting via the Polycomb group (PcG) complex PRC1.

Cellular Location


Nucleus.

ZNF277 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF277 antibody - N-terminal region - Images



WB Suggested Anti-ZNF277 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:312500

Positive Control: OVCAR-3 cell lysate

ZNF277 is supported by BioGPS gene expression data to be expressed in OVCAR3