

ZNF655 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11585**Specification**

ZNF655 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8N720
Other Accession	NM_001009960 , NP_001009960
Reactivity	Human, Rat, Rabbit, Bovine, Dog
Predicted	Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54kDa KDa

ZNF655 antibody - N-terminal region - Additional Information**Gene ID** 79027**Alias Symbol** VIK, VIK-1**Other Names**

Zinc finger protein 655, Vav-interacting Krueppel-like protein, ZNF655, VIK

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-ZNF655 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF655 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF655 antibody - N-terminal region - Protein Information**Name** ZNF655 {ECO:0000303|PubMed:38906142, ECO:0000312|HGNC:HGNC:30899}**Function**

Probable transcription factor.

Cellular Location


Nucleus.

ZNF655 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF655 antibody - N-terminal region - Images



WB Suggested Anti-ZNF655 Antibody Titration: 1.25µg/ml
Positive Control: HepG2 cell lysate

ZNF655 antibody - N-terminal region - References

Houlard, M., (2005) Oncogene 24 (1), 28-38
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.