

SSBP4 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11605**Specification**

SSBP4 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O9BWW5
Other Accession	NM_001009998 , NP_001009998
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Bovine, Dog
Predicted Host	Human, Zebrafish, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 37kDa KDa

SSBP4 antibody - N-terminal region - Additional Information

Alias Symbol **MGC3181**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SSBP4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SSBP4 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SSBP4 antibody - N-terminal region - Protein Information**SSBP4 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SSBP4 antibody - N-terminal region - Images



WB Suggested Anti-SSBP4 Antibody Titration: 0.2-1 μ g/ml
Positive Control: Transfected 293T

SSBP4 antibody - N-terminal region - References

Ballif, B.A., (2004) Mol. Cell Proteomics 3 (11), 1093-1101 Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.