

CPXCR1 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11610**Specification**

CPXCR1 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O96RS3
Other Accession	NM_033048 , NP_149037
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

CPXCR1 antibody - N-terminal region - Additional Information

Alias Symbol **CT77**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-CPXCR1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


CPXCR1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CPXCR1 antibody - N-terminal region - Protein Information**CPXCR1 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CPXCR1 antibody - N-terminal region - Images



WB Suggested Anti-CPXCR1 Antibody Titration: 1.25µg/ml
Positive Control: Jurkat cell lysate

CPXCR1 antibody - N-terminal region - References

Braybrook,C., (2001) Hum. Genet. 108 (6), 537-545
Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.