

**ZNF575 antibody - C-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI11659****Specification**

---

**ZNF575 antibody - C-terminal region - Product Information**

|                   |                                                       |
|-------------------|-------------------------------------------------------|
| Application       | WB                                                    |
| Primary Accession | <a href="#">Q86XF7</a>                                |
| Other Accession   | <a href="#">NM_174945</a> , <a href="#">NP_777605</a> |
| Reactivity        | Human                                                 |
| Predicted         | Human                                                 |
| Host              | Rabbit                                                |
| Clonality         | Polyclonal                                            |
| Calculated MW     | 27kDa KDa                                             |

**ZNF575 antibody - C-terminal region - Additional Information****Gene ID** 284346**Other Names**

Zinc finger protein 575, ZNF575

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 100 ul of distilled water. Final anti-ZNF575 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

ZNF575 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**ZNF575 antibody - C-terminal region - Protein Information****Name** ZNF575**Function**

May be involved in transcriptional regulation.

**Cellular Location**


Nucleus.

**ZNF575 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **ZNF575 antibody - C-terminal region - Images**



WB Suggested Anti-ZNF575 Antibody Titration: 1.25µg/ml  
Positive Control: Jurkat cell lysate

#### **ZNF575 antibody - C-terminal region - References**

Hara,S., Unpublished (2003)Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.