

DAZ2 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11712**Specification**

DAZ2 antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q2KHN6
Other Accession	NM_001005785 , NP_001005785
Reactivity	Human, Mouse, Rat, Rabbit, Goat, Horse, Bovine, Dog
Predicted Host	Human
Clonality	Rabbit
Calculated MW	Polyclonal 59kDa KDa

DAZ2 antibody - N-terminal region - Additional Information

Alias Symbol **pDP1678**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-DAZ2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


DAZ2 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

DAZ2 antibody - N-terminal region - Protein Information**DAZ2 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DAZ2 antibody - N-terminal region - Images



Rabbit Anti-DAZ2 Antibody
Paraffin Embedded Tissue: Human Skin
Cellular Data: Squamous epithelial cells
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



WB Suggested Anti-DAZ2 Antibody Titration: 0.2-1 µg/ml
Positive Control: Daudi cell lysate
DAZ2 is strongly supported by BioGPS gene expression data to be expressed in Human Daudi cells

DAZ2 antibody - N-terminal region - References

Kuo,P.L., (2004) Fertil. Steril. 81 (4), 1034-1040
Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.