

CUGBP2 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11729**Specification**

CUGBP2 antibody - N-terminal region - Product Information

Application	WB, IHC
Primary Accession	O96RQ6
Other Accession	NM_006561 , NP_006552
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Horse, Bovine, Dog
Predicted	Zebrafish
Host	Rabbit
Clonality	Polyclonal
Calculated MW	56kDa KDa

CUGBP2 antibody - N-terminal region - Additional Information

Alias Symbol **ETR3, ETR-3, NAPOR, CUGBP2, BRUNOL3**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-CUGBP2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


CUGBP2 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CUGBP2 antibody - N-terminal region - Protein Information**CUGBP2 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


CUGBP2 antibody - N-terminal region - Images



Rabbit Anti-CUGBP2 Antibody
Paraffin Embedded Tissue: Human Heart
Cellular Data: Myocardial cells
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



Rabbit Anti-CELF2 Antibody
Paraffin Embedded Tissue: Human alveolar cell
Cellular Data: Epithelial cells of renal tubule
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



WB Suggested Anti-CUGBP2 Antibody Titration: 1.25µg/ml
ELISA Titer: 1:312500
Positive Control: Jurkat cell lysate
CELF2 is strongly supported by BioGPS gene expression data to be expressed in Human Jurkat cells

CUGBP2 antibody - N-terminal region - References

Han, J. (2005) (er) Nucleic Acids Res. 33 (9), 2769-2780 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.