

NOVA1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11742**Specification**

NOVA1 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	A8K603
Other Accession	NM_002515 , NP_002506
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog
Predicted	Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	52kDa KDa

NOVA1 antibody - C-terminal region - Additional Information

Alias Symbol **Nova-1**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-NOVA1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


NOVA1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

NOVA1 antibody - C-terminal region - Protein Information**NOVA1 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NOVA1 antibody - C-terminal region - Images



Host:Rabbit

Target Name:NOVA1

Sample Tissue:Human Adult Placenta

Antibody Dilution: 1.0µg/ml

NOVA1 antibody - C-terminal region - References

Ratti,A., (2008) J. Biol. Chem. 283 (12), 7531-7541 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.