

FGA antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11938**Specification**

FGA antibody - middle region - Product Information

Application	WB
Primary Accession	Q4QQH7
Other Accession	NM_021871 , NP_068657
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	66kDa KDa

FGA antibody - middle region - Additional Information

Alias Symbol	Fib2, MGC119422, MGC119423, MGC119425
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-FGA antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


FGA antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

FGA antibody - middle region - Protein Information**FGA antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FGA antibody - middle region - Images



WB Suggested Anti-FGA Antibody Titration: 0.2-1 $\mu\text{g/ml}$

ELISA Titer: 1:12500

Positive Control: Hela cell lysate