

GSTM1 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11941**Specification**

GSTM1 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	P46439
Other Accession	NM_000561 , NP_000552
Reactivity	Human, Mouse, Rat, Rabbit, Goat, Sheep, Horse, Bovine, Dog
Predicted Host	Mouse, Rat
Clonality	Rabbit
Calculated MW	Polyclonal 24kDa KDa

GSTM1 antibody - N-terminal region - Additional Information**Gene ID** 2949

Alias Symbol	GST1, GSTM1-1, GSTM1a-1a, GSTM1b-1b, GTH4, GTM1, H-B, MGC26563, MU, MU-1
--------------	--

Other Names

Glutathione S-transferase Mu 5, 2.5.1.18, GST class-mu 5, GSTM5-5, GSTM5

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-GSTM1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

GSTM1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

GSTM1 antibody - N-terminal region - Protein Information**Name** GSTM5**Function**

Conjugation of reduced glutathione to a wide number of exogenous and endogenous hydrophobic electrophiles.

Cellular Location


Cytoplasm.

GSTM1 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GSTM1 antibody - N-terminal region - Images



WB Suggested Anti-GSTM1 Antibody Titration: 0.2-1 μ g/ml
Positive Control: Jurkat cell lysate