

FECH antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11951**Specification**

FECH antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q8NANO
Other Accession	NM_001012515 , NP_001012533
Reactivity	Human, Rat
Predicted	Rabbit
Host	Rabbit
Clonality	Polyclonal
Calculated MW	47kDa KDa

FECH antibody - N-terminal region - Additional Information

Alias Symbol **EPP, FCE**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-FECH antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


FECH antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

FECH antibody - N-terminal region - Protein Information**FECH antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FECH antibody - N-terminal region - Images



Rabbit Anti-FECH Antibody
Paraffin Embedded Tissue: Human Liver
Cellular Data: Hepatocytes
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



WB Suggested Anti-FECH Antibody Titration: 0.2-1 µg/ml
Positive Control: Jurkat cell lysate
FECH is strongly supported by BioGPS gene expression data to be expressed in Human Jurkat cells

FECH antibody - N-terminal region - References

Collin, C., (2005) Blood 106 (3), 1098-1104
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.