

Apof antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11964**Specification**

Apof antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q5M889
Other Accession	NM_001024351 , NP_001019522
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine
Predicted	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	34kDa KDa

Apof antibody - C-terminal region - Additional Information

Alias Symbol	Apof
Other Names	
Apolipoprotein F, Apo-F, Liver regeneration-related protein LRRG151, Apof	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Apof antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Apof antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Apof antibody - C-terminal region - Protein Information**Name** Apof**Function**

Minor apolipoprotein that associates with LDL. Inhibits cholesteryl ester transfer protein (CETP) activity and appears to be an important regulator of cholesterol transport. Also associates to a lesser degree with VLDL, Apo-AI and Apo-AII.

Cellular Location


Secreted {ECO:0000250|UniProtKB:Q13790}.

Apof antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Apof antibody - C-terminal region - Images



WB Suggested Anti-Apof Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:1562500

Positive Control: Rat Kidney